

## SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 10 ]

NEW DELHI, SATURDAY, MARCH 9, 1957

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th February, 1957

CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
<b>Andhra Pradesh</b>						<b>Bombay—contd.</b>							
"N.R."						East Khandesh		..	..	20	5	..	..
TOTAL						Poona		..	..	4	2	5	..
Total for w/c 2-2-57						North Satara		..	..	..	..	1	3
Total for w/c 26-1-57						South Satara		..	..	1	..	..	..
						Thana		..	..	..	..	16	7
						West Khandesh		..	..	..	..	23	2
						Amravati		..	..	..	..	17	2
						Bhandara		..	..	..	..	7	..
						Buldhana		..	..	..	..	2	..
						Kolaba		..	..	..	..	1	..
						Chanda		..	..	..	..	15	2
						Wardha		..	..	..	..	16	..
						Ycotmal		..	..	..	..	11	..
						Halar		..	..	..	..	16	..
						Zalawad		..	..	..	..	4	..
						Kutch		..	..	..	..	21	5
						TOTAL		..	..	5	2	339	59
						Total for w/c 2-2-57		50	15	299	70	..	..
						Total for w/c 26-1-57		21	11	296	64	..	..
<b>Assam</b>						<b>Delhi</b>							
Kamrup						Delhi City		..	..	..	..	5	..
TOTAL						New Delhi		..	..	..	..	2	..
Total for w/c 2-2-57						Delhi Notified Area Committee		..	..	..	..	1	3
Total for w/c 26-1-57						West Delhi Municipality		..	..	..	..	1	..
<b>Bihar</b>													
Gaya													
Manbhum													
TOTAL													
Total for w/c 2-2-57													
Total for w/c 26-1-57													
<b>Bombay</b>													
Greater Bombay													
Ahmedabad													
Banaskantha													
Baroda													
Broach													
Mehsana													
Panchmahals													
Surat													

Explanation of Symbols used. C—Cases; D—Deaths; N=Nil; "NR" = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th February, 1957—*contd.*

CHOLERA							SMALLPOX							PLAGUE							CHOLERA							SMALLPOX							PLAGUE																
		C.		D.		C.		D.		C.		D.				C.		D.		C.		D.		C.		D.		C.		D.				C.		D.		C.		D.											
Delhi—contd.														Madras—contd.																																					
South Delhi Municipality . . . . .														2		..		..		..		North Arcot . . . . .														2		..		..											
TOTAL . . . . .														11		3		..		..		Salem . . . . .														63		15		..		..									
Total for w/c 2-2-57 . . . . .														12		3		..		..		Coimbatore . . . . .														9		2		..		..									
Total for w/c 26-1-57 . . . . .														12		9		..		..		TOTAL . . . . .														3		2		178		47		..		..					
TOTAL . . . . .														..		..		..		..		Total for w/c 2-2-57 . . . . .														..		..		134		39		..		..					
TOTAL . . . . .														..		..		..		..		Total for w/c 26-1-57 . . . . .														3		1		146		54		..		..					
Himachal Pradesh														Manipur																																					
TOTAL . . . . .														..		..		..		..		TOTAL . . . . .														..		..		..		..		..		..					
TOTAL for w/c 2-2-57 . . . . .														..		..		..		..		TOTAL for w/c 2-2-57 . . . . .														..		..		..		..		..		..					
TOTAL for w/c 26-1-57 . . . . .														..		..		..		..		TOTAL for w/c 26-1-57 . . . . .														..		..		..		..		—		..					
Kerala														Mysore																																					
"N.R."														"N.R."																																					
TOTAL . . . . .														..		..		..		..		TOTAL . . . . .														..		..		..		..		..		..					
TOTAL for w/c 2-2-57 . . . . .														..		..		..		..		TOTAL for w/c 2-2-57 . . . . .														..		..		..		..		..		..					
TOTAL for w/c 26-1-57 . . . . .														..		..		..		..		TOTAL for w/c 26-1-57 . . . . .														..		..		..		..		..		..					
Madhya Pradesh														Orissa																																					
Susguja . . . . .														2		2		..		..		Cuttack . . . . .														5		1		6		..		..		..					
Nimas . . . . .														7		2		..		—		Balasore . . . . .														15		9		8		1		..		..					
Mandsaur . . . . .														4		..		..		..		Puri . . . . .														2		1		11		2		..		..					
Chhindwara . . . . .														13		2		..		..		TOTAL . . . . .														22		11		25		3		..		..					
Mandla . . . . .														4		1		..		..		Total for w/c 2-2-57 . . . . .														35		16		81		7		..		..					
Raipur . . . . .														3		1		..		..		Total for w/c 26-1-57 . . . . .														47		23		67		..		..		..					
TOTAL . . . . .														33		8		..		..		TOTAL . . . . .														22		11		25		3		..		..					
Total for w/c 2-2-57 . . . . .														3		1		20		1		..		..		Total for w/c 2-2-57 . . . . .														35		16		81		7		..		..	
„ „ 26-1-57 . . . . .														4		1		51		20		..		..		Total for w/c 26-1-57 . . . . .														47		23		67		..		..		..	
Madras														Pondicherry																																					
Madras City . . . . .														1		..		10		2		..		..		TOTAL . . . . .														..		..		..		..		..		..	
Chingleput . . . . .														5		1		..		..		Total for w/c 2-2-57 . . . . .														..		..		..		..		..		..					
South Arcot . . . . .														22		7		..		..		Total for w/c 26-1-57 . . . . .														..		..		..		..		..		..					
Tiruchirappalli . . . . .														2		2		28		9		..		..		TOTAL . . . . .														..		..		..		..		..		..	
Tanjore . . . . .														17		5		..		..		TOTAL . . . . .														..		..		..		..		..		..					
Ramanathapuram . . . . .														23		4		..		..		Total for w/c 2-2-57 . . . . .														..		..		..		..		..		..					
Tirunelveli . . . . .														1		..		..		..		Total for w/c 26-1-57 . . . . .														..		..		..		..		..		..					

Explanation of Symbols used: C=Cases; D=Deaths; ..= Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th February, 1957—concl'd.

CHOLERA							SMALLPOX							PLAGUE							CHOLERA							SMALLPOX							PLAGUE						
—		C.		D.		C.		D.		C.		D.		C.		D.		—		C.		D.		C.		D.		C.		D.		C.		D.							
Rajasthan														West Bengal—contd.																											
"N.R."														Nadia . . . . . 5 4 .. 1 .. ..																											
Tripura														Murshidabad . . . . . 8 7 .. ..																											
TOTAL 20 8 .. — .. ..														West Dinajpur . . . . . 7 .. ..																											
Total for w/c 2-2-57 9 4 .. .. ..														Malda . . . . . 2 1 4 3 .. ..																											
Total for w/c 26-1-57 2 2 .. .. ..														Purulia . . . . . 48 23 .. ..																											
Uttar Pradesh														TOTAL . 264 145 283 183 .. ..																											
Allahabad . . . . . 4 .. ..														Total for w/c 2-2-57 376 184 281 188 .. .																											
Ghazipur . . . . . 5 .. 5 1 .. ..														Total for w/c 26-1-57 189 89 278 169 ..																											
Gonda . . . . . 2 .. ..														Grand Total for India (excluding Andhra Pradesh, Kerala, Mysore and Rajasthan)																											
Faizabad . . . . . 1 .. ..														323 170 925 317 .. ..																											
Fatehpur . . . . . 1 .. ..														Corresponding Total for w/c 2-2-57 503 228 907 344 1 ..																											
Jhansi . . . . . 1 .. ..														Corresponding Total for w/c 26-1-57 284 132 961 348 4 1																											
Kanpur. . . . . 4 .. ..														ARREAR INFORMATION																											
Kheri . . . . . 6 3 .. ..														Rajasthan																											
Lucknow . . . . . 4 1 .. ..														For w/c 19-1-57																											
Mirzapur . . . . . 1 .. ..														Sikar . . . . . 20 2 .. ..																											
Saharanpur . . . . . 1 .. ..														Jaipur . . . . . 23 7 .. ..																											
Varanasi . . . . . 7 1 .. ..														Pali . . . . . 3 5 .. ..																											
TOTAL . 6 .. 36 6 .. ..														Udaipur . . . . . 2 1 .. ..																											
Total for w/c 2-2-57 29 8 51 24 1 ..														Dungarpur . . . . . 5 .. ..																											
Total for w/c 26-1-57 16 5 45 17 4 1														Bikaner . . . . . 17 5 .. ..																											
West Bengal														Churu . . . . . 2 3 .. ..																											
Bankura . . . . . 7 5 3 .. ..														TOTAL . . . . . 73 23 .. ..																											
Midnapur . . . . . 88 47 14 5 .. ..														Bihar																											
Hooghly . . . . . 11 9 25 8 .. ..														For w/c 2-2-57																											
Howrah . . . . . 20 10 79 58 .. ..														Patna . . . . . 1 .. 2 2 .. ..																											
24-Parganas . . . . . 71 38 55 27 .. ..														Gaya . . . . . 3 .. ..																											
Calcutta . . . . . 12 8 88 74 .. ..														Shahbad . . . . . 3 1 .. ..																											
														Darbhanga . . . . . 10 7 .. ..																											
														Monghyer . . . . . 5 .. ..																											
														TOTAL . 1 .. 23 10 .. ..																											

Explanation of Symbols used : C = Cases; D. = Deaths; .. = Nil. "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th February, 1957—concl'd.

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.

**Kerala**

For w/e 2-2-57

Trivandrum	..	..	9	2	..	..	..	..	..	..	..
Quilon	..	..	40	21	..	..	..	..	..	..	..
Trichur	..	..	1	..	..	..	..	..	..	..	..
Malabar	..	..	4	3	..	..	..	..	..	..	..
TOTAL	..	..	54	26	..	..	..	..	..	..	..

**Mysore—contd.**

Chikmagalur	..	..	..	1	..	..	..	..	..	..	..
Shimoga	..	..	..	1	..	..	..	..	..	..	..
Bellary	..	..	4	2	..	..	..	..	..	..	..
Raichur	..	..	..	5	3	..	..	..	..	..	..
TOTAL	..	..	4	2	11	3	2	1	..	..	..

**POLIOMYELITIS**

(Information based on patients treated in hospitals in important towns)

Mysore		Place		Period		Cases		Deaths	
For w/e 2-2-57									
Chitaldrug	..	..	4	..	..	..	..	3	(Paretic)
Bangalore	..	..	..	2	1	..	..	1	Non-paretic

Explanation of symbols used : —C.—Cases ; D.—Deaths : =Nil.

NEW DELHI-2 (INDIA);  
The 4th March, 1957.

K. MITRA,  
for Registrar General, India.

## Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

**INVEST IN INDIA'S FUTURE**

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Andhra Pradesh</b>													
" N. R. "													
<b>Assam</b>													
" N. R. "													
<b>Bihar</b>													
" N. R. "													
<b>Bombay</b>													
Ahmedabad . . .	889	666	39.0	..	22	..	42	10	95	..	439	25.7	136
Ahmednagar . . .	88	43	25.4	..	..	..	2	2	5	..	18	10.6	1
Amalner . . .	50	18	18.7	..	..	..	2	..	3	..	7	7.3	..
Baroda . . .	242	155	33.3	..	..	..	10	..	6	..	45	9.7	11
Barshi . . .	46	26	29.4	..	..	..	3	1	..	1	21	23.7	5
Bhusawal . . .	62	13	10.9	..	..	..	..	1	..	..	2	1.7	2
Broach . . .	67	46	35.7	..	..	..	9	..	2	..	17	13.2	4
Cambay . . .	41	34	43.1	..	..	..	..	..	..	..	..	..	..
Challisaon . . .	35	12	17.8	..	1	..	7	..	1	..	15	22.3	2
Dhulia . . .	89	34	19.9	..	..	..	4	..	..	..	8	4.7	1
Godra . . .	40	32	41.6	..	..	..	8	..	3	..	15	19.5	2
Greater Bombay . . .	3,449	1,296	19.5	..	8	..	2	19	100	2	716	10.8	157
Jalgaon . . .	79	149	98.1	..	..	..	6	1	6	1	35	23.0	8
Kalyan† . . .	159	106	34.7	..	..	..	1	3	8	..	42	13.7	8
Kolhapur . . .	63	32	26.4	1	..	..	4	..	3	..	11	9.1	1
Malegaon . . .	44	31	36.6	..	..	..	..	..	2	..	4	4.7	..
Miraj . . .	71	42	30.8	..	..	..	9	..	2	..	27	19.8	5
Nadlad . . .	41	25	31.7	..	..	..	3	2	1	..	23	29.2	4
Yeotmal . . .	64	41	33.3	..	..	..	3	..	2	1	12	9.8	1
Porbander . . .	35	30	44.6	..	..	..	9	..	..	1	10	14.9	6
Hinganghat . . .	73	9	6.4	..	..	..	1	..	7	..	9	6.4	..
Aurangabad . . .	167	88	27.4	..	2	..	8	..	14	1	57	17.7	9
Rajkot . . .	38	35	47.9	..	..	..	1	1	1	1	6	8.2	1
Achalpur . . .	43	19	23.0	..	..	..	3	..	2	..	6	7.3	1
Morvi . . .	80	43	28.0	..	..	..	1	..	2	..	5	3.3	..
Landed . . .	157	65	21.5	..	..	..	3	1	6	..	30	9.9	6
Bhawnagar . . .	36	21	30.3	..	..	..	2	..	3	..	9	13.0	4
Kamptee . . .	41	21	26.6	..	..	..	5	..	2	..	11	14.0	..
Gondal . . .	45	23	26.6	..	..	..	3	..	1	..	4	4.6	1
Gondia . . .	104	46	23.2	..	..	..	17	3	3	..	43	21.7	..
Akola . . .	43	31	37.5	..	..	..	3	..	2	..	16	19.3	1
Chanda . . .	46	8	9.0	..	..	..	4	..	1	..	8	9.0	1
Veraval . . .	101	71	36.6	..	1	..	6	..	4	..	21	10.8	4
Amravati . . .	47	17	28.8	..	1	..	2	2	1	1	11	12.2	..
Dhoraji . . .	42	7	8.7	..	..	..	3	..	..	..	4	5.0	..
Surendranagar . . .	122	16	6.8	..	..	..	6	..	3	..	15	2.6	6
Jamnagar . . .	35	14	20.8	..	..	..	2	..	..	1	11	16.3	3
Nandurbar . . .	119	86	37.6	..	..	..	9	1	4	..	29	12.7	5
Nasik . . .	50	25	26.0	..	..	..	5	..	..	..	12	12.5	1
Navasari . . .	44	28	33.1	..	..	..	3	3	4	..	16	18.9	7
Pandharpur . . .	607	378	32.4	..	..	..	11	4	31	1	127	10.9	29
Patan† . . .	58	21	18.8	..	..	..	1	1	1	..	13	11.7	3
Poona . . .	40	34	44.2	..	..	..	3	..	1	..	18	23.4	2
Sangli . . .													
Satara . . .													

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N. R."—Information not Received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957—*contd.*

Town	Mid-year popn-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Bombay													
Sholapur	299	251	43.7	..	..	..	12	8	38	..	113	19.7	23
Surat†										2			
Thana	61	27	23.0	..	2	..	3	1	2	..	15	12.8	6
TOTAL	8,152	4,215	26.9	1	37	..	241	64	372	11	2,076	13.2	461
Delhi State													
Delhi City	1,124	506	23.4	..	..	..	30	3	47	..	158	7.3	37
New Delhi	374	209	29.1	..	..	..	..	..	6	1	113	15.7	23
N.A.C. Civil Station Delhi	117	71	31.6	..	3	..	1	..	3	..	15	6.6	4
Delhi Cantt.	50	26	27.0	..	..	..	..	..	2	..	4	4.2	2
Delhi-Shahadara	53	51	50.0	..	..	..	3	..	3	..	10	9.8	3
TOTAL	1,718	863	26.1	..	3	..	34	3	61	1	300	9.1	69
Kerala													
Trivandrum	218	72	17.2	..	..	..	5	..	9	..	45	10.7	10
Quilon	75	101	70.0	..	..	..	..	1	1	1	7	4.9	..
Alleppey	148	34	11.9	..	..	..	..	..	1	..	12	4.2	..
Changanacherry	41	21	26.6	..	..	..	..	1	..	..	2	2.5	1
Kottayam	50	55	57.2	..	..	..	2	..	3	..	16	16.6	3
Mattanchery	85	48	29.4	..	..	..	2	..	3	..	14	8.6	3
Ernakulam	70	48	35.6	..	..	..	4	..	3	..	20	15.8	3
Trichur	76	40	27.4	..	..	..	1	..	2	..	11	7.5	2
Palghat	77	57	38.5	..	..	..	1	1	2	..	25	16.9	6
Cannanore	47	16	17.7	..	..	..	1	..	3	..	12	13.3	3
Tellicherry]	42	38	47.0	..	..	..	..	..	1	..	10	12.4	3
Cochin	32	23	37.4	..	..	..	1	..	1	2	13	21.1	1
TOTAL	961	553	29.9	..	..	..	17	3	29	3	187	10.1	35
Madhya Pradesh													
"N.R."													
Madras													
Chidambaram.	39	37	49.3	..	..	..	..	..	2	1	18	24.0	3
Coimbatore	234	235	52.2	..	..	..	4	10	15	..	92	20.4	30
Cuddalore	74	66	46.4	..	..	..	1	1	2	..	25	17.6	2
Dindigul	90	57	32.8	..	..	..	2	..	2	1	19	10.9	2
Erode	67	50	38.8	..	1	..	1	2	3	1	25	19.4	4
Gobichetty Palyan	38	10	13.7	..	..	..	1	..	1	..	4	5.5	..
Guddiyattam	53	44	43.2	..	..	..	..	2	..	..	17	16.7	7
Kancheepuram	90	37	21.4	..	..	..	1	4	13	..	46	26.6	8
Karaikudi	44	21	24.8	..	..	..	3	2	1	..	9	10.6	..
Karur	50	28	29.1	..	..	..	1	..	1	..	6	6.2	2
Kumbakonam	105	77	38.1	..	1	..	2	5	2	1	44	21.8	10
Madras	1,703	1,119	34.2	..	3	..	81	129	167	1	704	21.5	176
Mathurai	427	337	41.0	..	..	..	11	15	39	..	174	21.2	38
Mayuram	49	17	18.0	..	..	..	..	1	..	1	23	24.4	5
Malapalyam	41	18	22.8	..	1	..	1	1	1	..	12	15.2	7
Nagapattinam	60	42	36.4	..	..	..	2	2	1	1	21	17.3	3
Ootacamund	48	28	30.3	..	..	..	2	1	3	..	13	14.1	4
Palni	40	22	28.6	..	..	..	..	2	3	..	7	9.1	2
Palayamkottai	45	48	55.5	..	..	..	..	1	1	..	21	24.3	4
Periyakulam	34	33	50.5	..	..	..	1	1	1	..	9	13.8	3
Pollachi	51	37	37.7	..	..	..	1	1	2	..	13	13.3	3

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate, I.D.—Infantile Deaths (included in total deaths); ..—Nil information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras—contd.													
Pudukottai†													
Rajapalayam .	69	33	24.9	..	1	..	2	8	3	..	28	21.1	4
Salem .	241	150	32.4	..	4	..	10	5	10	..	68	14.7	6
Srirangam .	42	28	34.7	..	..	..	..	1	2	..	14	17.3	3
Srivilliputtur†													
Tanjore .	118	117	51.6	..	..	..	7	2	8	1	51	22.5	9
Tiruvannamalai†													
Tirunelveli .	80	62	40.3	..	..	..	4	8	5	..	43	28.0	10
Tiruppur .	63	66	54.5	..	..	..	..	3	2	..	22	18.2	9
Tiruchirappalli .	251	80	16.6	..	6	..	5	6	12	1	91	18.9	13
Tuticorin .	111	69	32.3	..	..	..	2	6	13	..	48	22.5	7
Vaniyambadi .	43	27	32.6	..	..	..	1	2	1	..	12	14.5	4
Vellore .	124	98	41.1	..	..	..	1	2	4	..	38	15.9	10
Nagercoil .	94	46	25.4	..	..	..	1	..	1	..	7	3.9	1
Villupuram .	39	30	40.0	..	..	..	..	1	4	2	16	21.3	5
Virudunagar .	53	36	35.3	..	..	..	4	3	3	..	18	17.7	5
TOTAL	4,766	3,246	35.4	..	17	..	154	230	329	11	1,774	19.4	409
Mysore													
Bangalore .	977	673	35.8	..	..	..	6	39	67	..	254	13.5	..
Mysore .	294	177	31.3	..	..	..	19	4	7	..	67	11.8	..
Kolar Gold Fields .	173	80	24.0	..	..	..	5	2	5	..	31	9.3	..
Bellary .	78	46	30.7	..	..	..	3	..	3	..	19	12.7	..
Davanagere .	69	53	39.9	..	..	..	6	1	..	..	25	18.8	..
Shimoger .	57	17	15.5	..	2	..	10	1	1	..	16	14.6	..
Hospet .	45	28	32.4	..	..	..	3	1	..	..	14	16.2	..
Tumkcer .	44	19	22.4	..	..	..	7	..	2	..	10	11.8	..
Kolar .	32	2	3.2	..	..	..	..	..	..	..	..	..	..
Chitaldrug .	31	11	18.4	..	..	..	1	..	..	..	8	13.4	..
Hassan .	30	11	19.1	..	..	..	..	..	..	..	5	8.7	..
Dharwar .	76	16	10.9	..	..	..	1	..	..	..	14	9.6	..
Mangalore .	136	77	29.4	..	..	..	3	3	2	1	49	18.7	..
TOTAL	2,042	1,210	30.8	..	2	..	64	51	87	1	512	10.0	..
Orissa													
Berhampur .	72	45	32.5	..	..	..	3	1	1	..	13	9.4	..
Cuttack .	117	93	41.3	..	..	..	6	5	7	..	43	19.1	..
Puri .	53	47	46.1	..	..	..	8	5	..	1	25	24.5	..
TOTAL	242	185	39.7	..	..	..	17	11	8	1	81	17.4	11
Pondicherry													
"N. R."													
Punjab (1)													
Ambala .	65	50	40.0	..	..	..	2	1	2	..	13	10.4	5
Amritsar .	343	212	32.1	..	..	..	..	3	24	1	70	10.6	24
Batala .	62	32	26.8	..	..	..	..	..	2	..	7	5.9	..
Bhatinda .	39	36	48.0	..	..	..	1	..	1	..	2	2.7	1
Bhiwani .	57	40	36.5	..	..	..	1	1	3	..	7	6.4	1
Perozepore†													

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R. —Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil Information. N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th February, 1957—*contd.*

Town	Mid-year Popn, Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Punjab(I)—contd.														
Hissar	39	26	34.7	..	..	..	4	..	1	..	9	12.0	3	
Hoshiarpur	51	21	21.4	..	..	..	..	..	1	..	11	11.2	2	
Jullundur	200	111	28.9	..	..	..	..	..	6	..	15	3.9	1	
Karnal	72	33	23.8	..	..	..	3	..	2	..	11	8.0	1	
Malerkotla	34	24	36.7	..	..	..	1	..	..	..	4	6.1	..	
Ludhiana	176	109	32.2	..	..	..	11	..	6	..	26	7.7	6	
Moga	41	24	30.4	..	..	..	3	..	2	..	6	7.6	1	
Panipat	64	39	31.7	..	..	..	8	1	..	..	12	9.8	5	
Patiala	111	60	28.0	..	..	..	4	1	3	..	22	10.3	10	
Pathankot	34	19	29.1	..	..	..	..	..	..	..	2	3.1	..	
Rewari	36	23	33.2	..	..	..	2	..	1	..	5	7.2	..	
Rohtak†														
Simla	50	18	18.7	..	..	..	..	..	..	..	3	3.1	1	
Sonapat†														
TOTAL	1,474	877	30.9	..	..	..	40	7	54	1	225	7.9	61	
Rajasthan														
"N. R."														
Uttar Pradesh														
Agra	375	680	94.3	..	..	..	2	3	34	..	75	10.4	27	
Allahabad	349	152	22.6	..	..	..	2	1	34	..	56	8.3	10	
Amroha	61	50	42.6	..	..	..	1	..	3	..	15	12.8	4	
Bahraich	47	17	18.8	..	..	..	1	..	..	..	5	5.5	..	
Banaras	383	304	41.3	..	..	..	37	6	17	..	159	21.6	19	
Ballia	35	13	19.3	..	..	..	1	..	..	..	4	6.0	1	
Bijnor	32	10	16.3	..	..	..	..	..	..	..	1	1.6	..	
Banda	32	5	8.1	..	..	..	..	..	1	..	1	1.6	1	
Bareilly	203	64	16.4	..	..	..	4	2	13	..	23	5.9	2	
Budaun	54	25	24.1	..	..	..	1	..	5	..	8	7.7	..	
Basti†														
Bulandshahr	42	4	5.0	..	..	..	..	..	..	..	1	1.2	..	
Chandausi	41	24	30.4	..	..	..	2	2	3	..	9	11.4	3	
Dehra Dun †														
Etawah†														
Faizabad-Ayodhya	88	31	18.3	..	..	..	2	2	4	2	15	8.9	2	
Farrukhabad-Fatehgarh	82	37	23.5	..	..	..	5	1	3	..	13	8.2	3	
Ferozabad	79	19	12.5	..	..	..	1	..	..	..	4	2.6	1	
Ghaziabad	46	22	25.0	..	..	..	2	..	1	..	7	7.9	2	
Ghaziipur	36	24	34.7	..	..	..	5	..	1	..	12	17.3	2	
Gorakhpur	140	56	20.8	..	..	..	10	..	4	..	24	9.0	4	
Gonda	35	8	11.9	..	..	..	1	1	..	..	2	3.0	..	
Hapur	49	22	23.3	..	..	..	6	..	1	..	10	10.6	4	
Hardwar	64	23	18.7	..	..	..	4	..	3	..	18	14.6	4	
Hathras	62	33	27.7	..	..	..	1	1	5	—	7	5.9	3	
Jaunpur	56	30	28.0	..	..	..	3	..	4	..	10	9.3	1	
Jhansi	116	70	31.4	..	..	..	22	2	2	..	29	13.0	7	
Kanpur	734	345	24.4	..	..	..	103	23	44	9	297	21.0	76	
Kasganj	34	12	18.4	..	..	..	3	..	1	..	4	6.1	..	
Khurja	41	14	17.8	..	..	..	..	1	3	..	5	6.3	1	
Koil-Aligarh	150	90	31.2	..	..	..	2	..	3	..	9	3.1	2	
Lucknow	494	428	45.1	..	..	..	13	3	23	..	108	11.4	18	
Mathura	110	50	23.6	..	..	..	6	..	7	..	20	9.5	1	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B. = Births; B. R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D. D. = Dysentery and Diarrhoea; R. D. = Respiratory Diseases; M. D. = Maternal Deaths; D. R. = Death Rate; I. D. = Infantile Deaths (included in total deaths); .. = Nil information; "N. R." = Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from —							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Uttar Pradesh—contd.													
Mau-Nath Bhanjan	38	30	41.1	..	..	..	3	2	..	..	7	9.6	1
Meerut	185	128	36.0	..	..	..	7	..	9	..	26	7.3	6
Mirzapur-Vindhyachal	97	37	19.8	..	..	..	7	..	2	..	14	7.5	6
Moradabad	164	77	24.4	..	..	..	9	..	8	..	30	9.5	6
Muzaffarnagar	74	34	23.9	..	..	..	4	1	3	..	12	8.4	1
Pilibhit	.	.	.	.	.	.	.	.	.	.	.	.	.
Rampur†	.	.	.	.	.	.	.	.	.	.	.	.	.
Saharanpur	162	102	32.7	..	..	..	23	1	5	..	38	12.2	9
Sambhal	65	53	42.4	..	..	..	6	2	8	..	21	16.8	4
Shahjahanpur	99	44	23.1	..	..	..	11	..	3	1	28	14.7	6
Sitapur	49	16	17.0	..	..	..	2	..	4	..	8	8.5	2
TOTAL	5,003	3,183	33.1	..	..	..	312	54	261	12	1,135	11.8	239

**West Bengal**

"N.R."

**Andhra Pradesh**

w/e-29-1-57

Shimavaram	36	12	17.3	..	..	..	1	..	..	..	6	8.7	1
Chittoor	45	57	65.9	..	..	..	2	1	2	..	12	13.9	1
Ellore	99	45	23.6	3	..	..	6	..	2	..	34	17.9	7
Gudivada	36	16	23.1	1	1	..	2	1	..	1	16	23.1	3
Guntur	147	107	37.9	..	2	..	8	5	2	..	68	24.1	21
Kakinada	113	43	19.8	..	1	..	4	..	..	1	15	6.9	3
Masulipatam	88	40	23.6	..	..	..	..	1	3	..	23	13.6	8
Nellore	95	83	45.4	12	..	..	9	5	2	..	56	30.2	11
Proddatur	42	31	38.4	..	..	..	1	..	1	1	14	17.3	7
Rajahmundry	122	57	24.3	..	..	..	..	2	..	2	24	10.2	4
Tenali	67	41	31.8	2	2	..	..	2	2	..	20	15.5	2
Vijayavada	201	123	31.8	1	..	..	9	3	4	..	42	10.9	9
Visakhapatnam	128	80	32.5	..	1	..	22	16	14	..	68	27.6	10
Vizianagaram	75	37	25.7	..	..	..	..	4	..	2	29	20.1	6
<b>TOTAL</b>	<b>1,249</b>	<b>772</b>	<b>31.0</b>	<b>19</b>	<b>7</b>	<b>..</b>	<b>64</b>	<b>40</b>	<b>32</b>	<b>7</b>	<b>427</b>	<b>17.2</b>	<b>93</b>

w/e 2-2-57

Anantpur	38	35	47.9	..	..	..	..	..	..	4	15	20.5	3
Anakapalle	46	28	31.6	..	..	..	2	2	1	1	24	27.1	5
Bheniavaram	36	31	44.8	..	..	..	2	..	..	..	11	15.9	2
Cuddapah	42	22	27.2	..	..	..	1	..	..	1	19	23.5	7
Ellore	99	34	17.9	2	1	..	8	2	6	..	54	28.4	12
Gudivada	36	40	57.8	3	..	..	3	2	1	..	16	23.1	3
Guntur	147	146	51.6	2	..	..	3	3	6	..	57	20.2	12
Guntakal	37	32	45.0	..	..	..	6	..	2	..	13	18.3	3
Kakinada	113	56	25.8	..	..	..	2	1	..	..	15	6.9	1
Kurnool	68	72	55.1	..	..	..	3	3	4	1	45	34.4	7
Masulipatam	88	59	34.9	..	..	..	6	..	..	..	20	11.8	2
Nandyal	37	29	40.8	..	3	..	1	..	1	2	12	16.9	6
Nellore	95	73	40.0	..	..	..	11	9	6	..	107	58.6	14
Proddatur	42	32	39.6	..	..	..	3	..	1	..	19	23.5	2
Tenali	67	52	40.4	..	..	..	1	1	1	..	21	16.3	4
Vijayavada	201	86	22.2	..	1	..	13	6	6	..	64	16.6	9
Visakhapatnam	128	82	33.3	..	2	..	14	13	23	..	75	30.5	16
<b>Total</b>	<b>1,320</b>	<b>909</b>	<b>35.8</b>	<b>7</b>	<b>7</b>	<b>..</b>	<b>79</b>	<b>42</b>	<b>58</b>	<b>9</b>	<b>587</b>	<b>23.1</b>	<b>108</b>

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Deaths from Diphtheria, Diphtheria, and other diseases; R.D.—Deaths from Respiratory Diseases; M.D.—Deaths from Malaria; I.D.—Infantile

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957—*contd.*

		Deaths from :—													
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Jammu and Kashmir		w/e 8-12-1956													
Jammu . . .	69	68	51·2	..	..	..	6	..	2	..	10	7·5	..		
		w/e 15-12-1956													
Jammu . . .	69	54	40·7	..	..	..	4	2	1	..	18	13·6	..		
		w/e 22-12-1956													
Jammu . . .	69	65	49·0	..	..	..	3	1	3	..	11	8·3	..		
		w/e 1-12-1956													
Srinagar . . .	242	103	22·1	..	..	..	1	..	2	..	15	3·2	..		
		w/e 8-12-1956													
Srinagar . . .	242	131	28·2	..	..	..	2	..	2	..	22	4·7	3		
		w/e 15-12-1956													
Srinagar . . .	242	122	26·2	..	..	..	4	..	9	..	23	4·9	1		
		w/e 22-12-1956													
Srinagar . . .	242	125	26·9	..	..	..	2	..	6	1	24	5·2	3		
		w/e 29-12-1956													
Srinagar . . .	242	137	29·4	..	..	..	..	..	1	..	13	2·8	..		
Kerala		w/e 2-2-1957													
Trivandrum . . .	218	76	18·1	..	..	..	7	3	10	..	51	12·2	8		
Quilon . . .	75	94	65·2	..	..	..	2	1	4	..	21	14·6	2		
Alleppey . . .	148	59	20·7	..	..	..	1	2	1	..	18	6·3	1		
Kottayam . . .	50	45	46·8	..	..	..	1	..	..	..	10	10·4	..		
Mattanchery . . .	85	55	33·6	..	..	..	..	..	2	..	15	9·2	2		
Ernakulam . . .	70	39	29·0	..	..	..	2	2	3	..	16	11·9	..		
Trichur . . .	76	40	27·4	..	..	..	..	3	2	..	8	5·5	..		
Kozhikode . . .	176	165	48·7	..	..	..	3	..	10	7	109	32·2	11		
Palghat . . .	77	62	41·9	..	..	..	1	..	2	..	13	8·8	5		
Cannanore . . .	47	18	20·0	..	..	..	2	1	4	..	17	18·8	4		
Tellicherry . . .	42	34	42·1	..	..	..	1	..	1	1	12	14·9	1		
Cochin . . .	32	131	50·4	..	..	..	..	1	..	..	7	11·4	..		
TOTAL . . .	1,096	718	34·1	..	..	..	20	13	39	8	297	14·1	34		
Orissa (Supplementary)		w/e 2-2-1957													
Behrampur . . .	72	50	36·1	..	..	..	2	1	..	1	12	8·7	1		
Madhya Pradesh		w/e 1-12-1956													
Bilaspur . . .	49	40	52·0	..	..	..	3	..	..	..	17	22·1	4		
Greater Gwalior . . .	273	76	14·5	..	..	..	8	..	5	..	19	3·6	1		
Ujjain . . .	156	45	15·0	..	..	..	9	2	..	..	35	11·7	6		
Indore . . .	368	263	37·2	..	..	..	4	2	12	..	81	11·4	36		
Bhopal . . .	116	50	22·4	..	..	..	3	..	2	..	7	3·1	..		
Ratlam . . .	73	20	14·2	..	1	..	4	..	6	..	17	12·1	..		
TOTAL . . .	1,626	494	25·0	..	1	..	31	4	25	..	176	8·9	47		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957—*contd.*

## Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Madhya Pradesh</b>		<i>For w/e 8-12-56</i>											
Chhindwara . . .	31	23	38.6	..	..	..	5	..	1	..	15	25.2	5
Indore . . .	368	250	35.3	..	..	..	2	3	12	..	84	11.9	27
Bhopal . . .	116	41	18.4	..	..	..	1	1	3	..	8	3.6	..
Greater Gwalior . . .	273	38	7.2	..	..	..	7	..	..	..	11	2.1	..
Ujjain . . .	156	52	17.3	..	..	..	6	1	..	..	26	8.7	11
Ratlam . . .	73	27	19.2	..	1	..	4	..	6	..	26	18.5	..
Mandsaur . . .	41	10	12.7	..	..	..	1	..	..	..	3	3.8	3
<b>TOTAL</b> . . .	<b>10,58</b>	<b>441</b>	<b>21.7</b>	<b>..</b>	<b>1</b>	<b>..</b>	<b>26</b>	<b>5</b>	<b>22</b>	<b>..</b>	<b>173</b>	<b>8.5</b>	<b>46</b>
		<i>For w/e 15-12-56</i>											
Chhindwara . . .	31	22	36.9	..	..	..	2	..	..	..	9	15.1	2
Ujjain . . .	156	46	15.3	..	..	..	2	2	..	..	23	7.7	8
Bhopal . . .	116	38	17.0	..	..	..	..	..	1	..	4	1.8	..
Greater Gwalior . . .	273	139	26.5	..	..	..	5	..	2	..	17	3.2	..
Indore . . .	368	354	50.0	..	..	..	5	1	11	..	69	9.7	19
Mandsaur . . .	41	16	20.3	..	..	..	5	..	..	..	9	11.4	..
<b>TOTAL</b> . . .	<b>985</b>	<b>615</b>	<b>32.5</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>19</b>	<b>3</b>	<b>14</b>	<b>..</b>	<b>131</b>	<b>6.9</b>	<b>29</b>
		<i>For w/e 29-12-56</i>											
Chhindwara . . .	31	25	41.9	..	..	..	4	..	1	..	14	23.5	6
Khandwa . . .	59	20	17.6	..	..	..	4	..	..	..	10	8.8	..
Bharanpur . . .	79	51	33.6	..	..	..	9	2	4	..	21	13.8	..
Bilaspur . . .	40	33	42.9	..	..	..	1	2	..	..	12	15.6	6
Raigarh . . .	35	10	14.9	..	..	..	1	..	..	..	5	7.4	..
Indore . . .	368	284	40.1	..	..	..	1	1	15	..	72	10.2	24
Greater Gwalior . . .	273	95	18.1	..	..	..	5	..	1	..	18	3.4	2
Ujjain . . .	156	33	11.0	..	..	..	3	..	..	..	24	8.0	10
Bhopal . . .	116	56	25.1	..	..	..	2	..	..	1	7	3.1	..
Mandsaur . . .	41	7	8.9	..	..	2	2	..	..	..	6	7.6	..
<b>TOTAL</b> . . .	<b>1198</b>	<b>614</b>	<b>26.6</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>32</b>	<b>5</b>	<b>21</b>	<b>1</b>	<b>189</b>	<b>8.2</b>	<b>48</b>
		<i>Supplementary For w/e 22-12-56</i>											
Raigarh . . .	35	14	20.8	..	..	..	..	..	..	..	4	5.9	2
<b>West Bengal</b>		<i>For w/e 26-1-57</i>											
Asansol†													
Baldyabati . . .	33	9	14.2	..	..	..	..	..	..	..	2	3.2	..
Bally . . .	66	5	3.9	..	..	..	1	..	..	..	2	1.6	..
Bankura . . .	50	9	9.4	..	..	..	..	..	..	..	2	2.1	..
Bansberia†													
Baranagar . . .	90	20	11.6	..	..	..	1	..	5	..	21	12.1	7
Basirhat . . .	39	4	5.3	..	..	..	..	..	..	..	..	..	..
Berhampur . . .	64	53	43.1	..	..	..	2	..	..	..	11	8.9	3
Bhadreshwar . . .	34	3	4.6	..	..	..	..	..	..	..	2	3.1	..
Bharpura . . .	143	19	6.9	..	..	..	10	7	5	2	37	13.5	7
Budge-Budge†													
Burdwan . . .	82	20	12.7	..	..	..	..	..	3	..	11	7.0	..
Calcutta . . .	2,984	1,306	22.8	16	61	..	102	54	213	4	928	16.2	247
Champdani . . .	41	15	19.0	..	..	..	1	..	1	..	4	5.1	..
Cooch Behar†													

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D. R. = Death Rates ; I.D. = Infant Deaths ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.†	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>West Bengal—<i>contd.</i></b>													
Darjeeling†													
English-Bazar†													
Garden Reach	124	19	8.0	..	6	..	7	2	6	..	28	11.7	1
Halisahar	41	..	..	..	..	..	..	..	..	..	1	1.3	..
Hoogly-Chinsurah	60	78	67.6	1	2	..	5	..	2	..	13	11.3	1
Howrah	477	171	18.6	4	58	..	8	14	44	..	196	21.4	66
Jalpaiguri	47	18	19.9	..	..	..	1	..	1	..	8	8.9	..
Kamarhati†													
Kanchrapara	74	21	14.8	..	..	..	..	..	..	..	2	1.4	..
Krishnagar	56	..	..	..	..	..	..	..	..	..	1	0.9	..
Midnapore	45	16	18.5	..	..	..	3	3	..	..	12	13.9	..
Nabadwip	70	23	17.1	..	..	..	3	4	..	1	11	8.2	1
Nahati	62	4	3.4	..	..	..	..	2	1	..	4	3.4	..
North Barrackpore	36	2	2.9	..	..	..	..	..	..	..	..	..	..
Panihati	65	2	1.6	..	..	..	2	2	..	..	10	8.0	2
Shantipur	49	21	22.3	..	..	..	..	..	..	..	3	3.2	1
Serampore	83	35	21.9	..	..	..	3	1	4	1	26	16.3	7
Siliguri	44	26	30.7	..	..	..	..	..	..	1	1	1.2	..
South Dum Dum	83	6	3.8	..	..	..	..	..	..	..	..	..	..
South Suburban	124	7	2.9	..	5	..	3	2	5	..	22	9.2	1
Titagarh	78	17	11.3	..	1	..	19	..	..	..	31	10.7	8
<b>TOTAL</b>	<b>5,244</b>	<b>1,929</b>	<b>19.1</b>	<b>21</b>	<b>133</b>	<b>..</b>	<b>171</b>	<b>91</b>	<b>290</b>	<b>9</b>	<b>1,389</b>	<b>13.8</b>	<b>352</b>

For wks 2-2-57

Asansol†													
Baldyabati	33	8	12.6	..	..	..	..	..	..	..	2	3.2	..
Bally	66	5	3.9	1	2	..	..	..	..	..	6	4.7	1
Bankura	50	10	10.4	..	..	..	2	..	1	..	5	5.2	..
Bansberia†													
Baranagar	90	43	24.8	..	..	..	2	2	2	..	8	4.6	4
Basirhat	39	11	14.7	..	..	..	..	..	..	..	2	2.7	1
Berhampur	64	53	43.1	..	..	..	3	..	..	..	16	13.0	3
Bhadreswar	34	9	13.8	..	..	..	1	1	1	..	6	9.2	..
Bhatpara	143	17	6.2	..	1	..	6	2	4	..	20	7.3	4
Budge Budge	32	19	31.0	2	..	..	..	..	..	..	4	6.5	..
Burdwan	82	20	12.7	..	..	..	..	..	4	..	11	7.0	..
Calcutta	2,984	1,268	22.1	8	74	..	79	39	171	2	776	13.5	177
Champadani	41	8	10.1	1	..	..	..	..	..	..	4	5.1	..
Cooch Behar†													
Darjeeling†													
English Bazar	36	22	31.8	..	..	..	..	1	..	..	2	2.9	..
Garden Reach	124	20	8.4	..	8	..	4	1	3	..	32	13.4	2
Halisahar†													
Hoogly-Chinsurah	60	89	77.3	2	1	..	2	..	1	..	14	12.1	2
Howrah	477	123	13.4	5	65	..	10	16	38	..	191	20.8	43
Jalpaiguri	47	7	7.7	..	..	..	..	1	1	..	3	3.3	..
Kamarhati†													
Kanchrapara	74	4	2.8	..	..	..	..	..	..	..	2	1.4	..
Krishnagar	56	..	..	..	..	..	..	..	..	..	..	..	..
Midnapore	45	12	13.9	..	..	..	2	1	1	..	9	10.4	..
Nabadwip	70	51	37.9	..	..	..	7	1	2	..	13	9.7	1

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th February, 1957—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C	S	P.	F.	D.D.	R.D	M.D.			
West Bengal—contd.													
Naihati . . . . .	62	7	5.9	..	..	..	..	..	..	..	4	3.4	1
North Barrackpore Panihati†	36	4	5.8	..	..	..	..	1	..	..	4	5.8	..
Shantipur . . . . .	49	15	15.9	..	..	..	..	..	1	..	4	4.2	2
Serampore . . . . .	83	37	23.2	3	..	..	4	2	2	..	25	17.7	4
Siliguri . . . . .	44	3	3.5	..	..	..	..	..	..	1	3	3.5	..
South Dum Dun. . . . .	83	6	3.8	..	..	..	..	..	..	..	1	0.6	..
South Suburban . . . . .	124	19	8.0	..	3	..	1	1	1	..	18	7.5	3
Titagarh . . . . .	78	28	18.7	..	..	..	13	..	3	..	21	14.0	6
TOTAL . . . . .	5,206	1,918	19.2	22	154		136	69	236	3	1,206	12.0	254

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information.

## REMARKS

The figures of births and deaths of India shown in this statement for week ending the 9th February, 1957, relates to 169 towns with an estimated population of 24,358 thousands. Information about Andhra Pradesh, Assam, Bihar, Madhya Pradesh, Pondicherry, Rajasthan, and West Bengal could not be included. The total number of towns is 318 and their population is 41,584 thousands. Thus 53% of the total number of

towns representing 59% of the total population is covered in this statement. The number of births recorded in these towns were 14,332 and 6,290 representing birth and death rates 30.6 and 13.4 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States.

States	Current w/c 9-2-57		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Bombay	26.9	13.2	26.0	11.8
Delhi	26.1	9.1	30.8	8.9
Kerala	29.9	10.1	31.5	10.8
Madras	35.4	19.4	35.4	17.7
Mysore	30.8	13.0	23.6	12.0
Orissa	39.7	17.4	54.2	17.4
Punjab	30.9	7.9	29.8	7.6
Uttar Pradesh	33.1	11.8	33.2	12.2
India	30.6	13.4	30.6	13.0

7 States and 1 Centrally administered.

NEW DELHI-2 (INDIA) ;  
The 4th March, 1957.

K. MITRA,  
for Registrar General, India.